



GAS STICK PART NUMBER MATRIX	
G2 A - 04 04 C - 1 - 0 0	
<p>Gas Stick</p> <p>G = In-line Gas Stick</p> <p>G2 = Regulator & Gauge w/ Mini Ball Valve</p> <p>G3 = Regulator & Gauge Only</p> <p>Regulator Size *</p> <p>A = 0.15 Cv</p> <p>B = 1.8 Cv</p> <p>Inlet Size</p> <p>04 = 1/4"</p> <p>06 = 3/8"</p> <p>08 = 1/2"</p> <p>12 = 3/4"</p> <p>Outlet Size</p> <p>04 = 1/4"</p> <p>06 = 3/8"</p> <p>08 = 1/2"</p> <p>12 = 3/4"</p>	<p>Outlet Filter Option (0.003 μM)</p> <p>0 = Not Required</p> <p>1 = TEM Filter (low flow)</p> <p>2 = TEM Filter (high flow)</p> <p>3 = Entegris Filter</p> <p>Lockout and Mounting Bracket Options</p> <p>0 = Not Required</p> <p>1 = Mounting Bracket (Strut Channel Compatible)</p> <p>2 = Valve Lockout</p> <p>3 = Valve Lockout and Mounting Bracket</p> <p>Gauge</p> <p>1 = -30inHg-160 psig</p> <p>Connection Type</p> <p>C = Compression in, Compression out</p> <p>T=Tube in, Compression out</p>
<p>* 0.15 Cv size is typically used for 1/4" gas sticks, while 1.8 Cv is typically used on 3/8" & 1/2" gas sticks.</p>	